


Height-Adjustable Wall Mount for the SMART Board™ 600i Interactive Whiteboard System

Specifications – Model HAWM-600i

Physical Specifications – HAWM-600i for SMART Board™ 660i and 680i Interactive Whiteboard Systems (SB660i and SB680i)

Height-Adjustable Wall Mount

Size	25 3/4" W x 62 3/4" H x 7 1/4" D (65.4 cm x 159.6 cm x 18.4 cm)
Weight	170 lb. (77.0 kg)
Shipping Size (3 boxes)	65 3/8" W x 7 7/8" H x 27 1/2" D (166.0 cm x 20.0 cm x 70.0 cm)
	13 3/8" W x 6 1/8" H x 22" D (34.0 cm x 15.5 cm x 56.0 cm)
	7 1/8" W x 6 1/8" H x 18 3/8" D (18.0 cm x 15.5 cm x 46.5 cm)
Shipping Weight (3 boxes)	73 lb. (33.0 kg)
	63 lb. (28.5 kg)
	47 lb. (21.5 kg)



SMART Board 660 Interactive Whiteboard

Size	54 3/4" W x 41 5/8" H x 5 1/8" D (139.1 cm x 105.7 cm x 13.0 cm)
Weight	21 lb. 14 oz. (9.9 kg)

SMART Board 680 Interactive Whiteboard

Size	65 1/4" W x 49 1/2" H x 5 1/8" D (165.7 cm x 125.7 cm x 13.0 cm)
Weight	30 lb. (13.6 kg)

Unifi™ 35 Projector

Size	25 7/8" W x 14 3/8" H x 41 1/2" D (65.7 cm x 36.5 cm x 105.4 cm)
Weight	33 lb. (15.0 kg)

NOTE: See the SMART Board [660i](#) and [680i](#) interactive whiteboard system specifications for interactive product shipping sizes and weights.

All dimensions +/- 1/8" (0.3 cm). All weights +/- 2 lb. (0.9 kg).

Standard Features

Vertical Travel	20" (50.0 cm) of vertical travel allows taller and shorter users to raise or lower the interactive whiteboard to a convenient height.
Mounting Hardware	Includes mounting hardware for solid walls composed of brick, cinder block or concrete.
Stud Wall Installation	To mount the unit on metal or wood framed walls, you must order the Stud Wall Mounting Kit (Part No. STWL-600i). This kit includes two aluminum mounting brackets and the hardware required to install the unit on wood or metal framed walls.


Specifications – Model HAWM-600i

SB660i Installation	To mount a SMART Board 660i interactive whiteboard system on the Height-Adjustable Wall Mount, you must order the Adapter Plate Kit (Part No. ADPL-600i). This kit contains mounting hardware and a melamine coated particleboard plate that covers the counterweight assembly and provides additional weight.
Health and Safety	<p>The sliding mechanism is completely encased in the aluminum frame to ensure safe operation.</p> <p>Two people are required to safely assemble the wall mount and install the interactive whiteboard system.</p> <p>The combined weight of the wall mount and interactive whiteboard system is approximately 233 lb. (106 kg). Check your local building codes to ensure that your wall can support this weight.</p>
Security	You can install a padlock (not included) to secure the interactive whiteboard system at its highest position. This ensures that the system is out of reach when not in use.
Certifications and Compliance	CSA, CE, RoHS (Europe), RoHS (China)
Warranty	Two year limited equipment warranty

SMART Order Number

HAWM-600i	Height-Adjustable Wall Mount
STWL-600i	Stud Wall Mounting Kit (includes two aluminum mounting brackets and mounting hardware)
ADPL-600i	Adapter Plate Kit for the SB660i and Height-Adjustable Wall Mount (includes adapter plate and mounting hardware)
SB660i	SMART Board 660i Interactive Whiteboard System (includes a SMART Board 660 interactive whiteboard integrated with a Unifi 35 projector)
SB680i	SMART Board 680i Interactive Whiteboard System (includes a SMART Board 680 interactive whiteboard integrated with a Unifi 35 projector)

Dimensions



SMART Technologies
1207 – 11 Avenue SW, Suite 300
Calgary, AB T3C 0M5
CANADA



www.smarttech.com/support www.smarttech.com/contactsupport
Support +1.403.228.5940 or Toll Free 1.866.518.6791 (Canada/U.S.)

© 2007 SMART Technologies ULC. All rights reserved. SMART Board, Unifi, smarttech and the SMART logo are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries. U.S. Patent Nos. 5,448,263; 6,141,000; 6,326,954; 6,337,681; 6,540,366; 6,741,267; 6,747,636; and 7,151,533. Canadian Patent No. 2,058,219. U.S., Canadian and other patents pending. Specifications are subject to change without notice. 10/2007.